



INTERNATIONAL | 2021

**WARING**  
**COMMERCIAL**

YOUR SOLUTIONS SPECIALIST



BLEND



PREP



COOK



BREW



#### Our Mission

Waring Commercial, a global leader in foodservice equipment, is dedicated to providing innovative, reliable and value-driven solutions that inspire creativity, increase productivity and maximize profitability for the culinary community.

#### Our Story

Waring introduced the first blender over 80 years ago in the USA. We honor our heritage as an innovator and specialist, continuing the expansion as a leading provider of BLEND – PREP – COOK – BREW solutions for the global foodservice industry. In 1977, our manufacturing roots were planted in McConnellsburg, PA, where we still build our iconic blenders today. Now, more than ever, Waring Commercial distinguishes itself as a brand of impact that empowers our customers to adapt, enhance and endure to overcome the challenges of today's rapidly changing commercial foodservice climate. Our commitment is to help in the global reduction of food waste through education, innovative products and unique solutions in the pursuit of a sustainable future.

IMAGINE. INVENT. INSPIRE.™



@waringcommercial

waringcommercialproducts.com

**Waring**, universally known for introducing the first blender in America, is one of today's leading manufacturers of professional-quality appliances for the foodservice and laboratory industries. The Waring® Commercial brand continues its focus on quality and performance with an ever-expanding product portfolio, including a leading-edge lineup of blenders developed, designed and engineered with pride in the United States. With 80+ years of manufacturing expertise and a strong heritage of technological innovation, Waring continues its tireless pursuit of multi-category dominance. Look for the **NEW** icon on the following pages for more information on these new products.



Variable Speed Blender  
page 16



**NEW** Cordless  
Immersion Blender  
page 20



*Luna* Planetary Mixers  
page 37 **COMING SOON**



Dehydrator  
page 48 **COMING SOON**



Thermal  
Circulator Series  
pages 40-41



Panini Grill  
page 42 **COMING SOON**



Gelato Panini Press  
page 53



Mini Belgian  
Waffle Maker  
page 55



Bubble Waffle Maker  
page 56



Pasta Cooker & Rethernalizer  
page 47 **COMING SOON**



**NEW** Multi-Purpose  
Cooktop  
pages 58-59 **COMING SOON**



Hot Water Dispensers  
pages 62-63 **COMING SOON**





## BLEND

Blenders .....	8-17
Immersion Blenders .....	18-22
Drink Mixers .....	23





## PREP

Food Processors & Grinders .....	26-31
Citrus Juicers & Juice Extractor.....	32-33
Electric Knife.....	34
Knife Sharpener .....	34
Ice Crusher .....	35
Vacuum Sealer .....	35
Ice Cream Maker .....	36
Planetary Mixers .....	37





## COOK

Thermal Circulators .....	40-41
Grills & Griddles.....	42-45
Ovens .....	45-46
Pasta Cooker and Rethermalizer .....	47
Dehydrator .....	48-49
Toasters .....	50-51
Deep Fryers .....	52
Gelato Panini Press .....	53
Waffle Makers & Waffle Cone Makers .....	54-57
Multipurpose Cooktop & Crêpe Maker.....	58-59





## BREW

Hot Water Dispensers .....	62-63
----------------------------	-------



Single and Double 5 L  
Heavy-Duty Deep Fryers  
**WDF1000E/K, WDF1000DE/K †**

- WDF1000E/K – Includes 2 twin baskets (TFB10), 1 large single basket (LFB10) and 1 night cover (NC100)
- WDF1000DE/K – Includes 4 twin baskets (TFB10), 1 large single basket (LFB10) and 2 night covers (NC100)
- Hinged heating elements and removable stainless steel tanks for easy cleaning
- 30-minute timers and variable temperature controls up to 200°C

WDF1000E/K – 240V, 50Hz, 2850W  
WDF1000DE/K – 240V, 50Hz, 2850W (x2)  
CE, RoHS



**Accessories Included**

Single units include 2 twin baskets, 1 large single basket and 1 night cover.  
Double units include 4 twin baskets, 1 large single basket and 2 night covers.



† E suffix indicates F-plug  / K suffix indicates G-plug 

Gelato Panini Press  
**WICSP180E/K †**

Add a new and exciting dimension to your dessert menu with Gelato Panini, a hot, new concept in the frozen dessert business.

- Bake golden-toasted, 10 cm, gelato-filled buns
- Bake times from 5–15 seconds for the perfect gelato panini
- Triple-coated, nonstick plates allow for easy panini removal and quick cleanup
- Embedded heating element to perfectly seal your gelato panini
- Heavy-duty die-cast housing
- Electronic control panel for easy cleanup

230V, 50/60Hz, 1200W, CE, RoHS



Cut bun in half and add gelato.



Set gelato panini into press and cook.



Cut and serve.

† E suffix indicates F-plug  / K suffix indicates G-plug 

**NEW**



## Heavy-Duty Single/Double Belgian Waffle Makers

### WW180XCE/K † – Single

- Produces up to 25, 2.5 cm thick, 17 cm diameter Belgian waffles per hour
  - Heavy-duty die-cast housing
  - Rotary feature for even baking and browning
  - Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
  - Embedded heating elements for precise temperature control
  - Audible beep signals when unit is ready and when waffle is cooked
  - Power ON and Ready-to-Bake LED indicators
- 220-240V, 50/60Hz, 1200W  
CE, RoHS



### WW200CE/K † – Double

- Produces up to 40, 2.5 cm thick, 17 cm diameter Belgian waffles per hour
  - Unique space-saving vertical design with independent Ready lights
  - Shares heating elements for maximum output while using less energy
  - Heavy-duty die-cast housing
  - Rotary feature for even baking and browning
  - Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
  - Embedded heating elements for precise temperature control
  - Audible beep signals when unit is ready and when waffle is cooked
  - Power ON and Ready-to-Bake LED indicators
- 220-240V, 50/60Hz, 1400W  
CE, RoHS



Rotary feature on all waffle/waffle cone makers for even baking and browning!



Embedded heating elements for precise temperature control.

## Single Mini Belgian Waffle Maker

### WMB400XCE/K †

- Produces up to 100, 2.5 cm-thick mini Belgian waffles per hour
  - Waffles are 2.5 cm thick, 7 cm in diameter
  - Heavy-duty die-cast housing
  - Rotary feature for even baking and browning
  - Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
  - Audible beep signals when unit is ready and when waffle is cooked
  - Waffle plates can be easily replaced if scratched
  - Power ON and Ready-to-Bake LED indicators
- 220-240V, 60Hz, 1200W  
CE, RoHS



Waffle plates can easily be replaced if scratched  
WMB400XRP



† E suffix indicates F-plug  / K suffix indicates G-plug 

† E suffix indicates F-plug  / K suffix indicates G-plug 

Bubble Waffle Maker  
WBW300XCE/K †

- Produces up to 20, 21 cm x 18 cm bubble waffles per hour
  - Bake bubble waffles, then top with ice cream and/or fillings
  - Heavy-duty die-cast housing
  - Rotary feature for even baking and browning
  - Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
  - Audible beep signals when unit is ready and when waffle is cooked
  - Power ON and Ready-to-Bake LED indicators
- 220-240V, 50/60Hz, 1200W  
CE, RoHS



30 bubbles! – 21 cm x 18 cm



Heavy-Duty Single/Double  
Waffle Cone Makers  
WWCM180E/K † – Single

- **BONUS: Includes waffle cone rolling and forming tool for ideal waffle cones! Waffle bowl kit also available as optional accessory**
  - Up to 50 waffle cones per hour
  - Heavy-duty die-cast housing
  - Triple-coated nonstick plates allow easy removal of waffle cones and quick cleanup
  - Audible beep signals when unit is ready and when waffle cone is cooked
  - Power ON and Ready-to-Bake LED indicators
- 220-240V, 50/60Hz, 1200W  
CE, RoHS



WWCM200E/K † – Double

- All the same features as WWCM180 with addition of:
- Up to 100 waffle cones per hour
  - Unique, space-saving vertical design with independent Ready lights
  - Shares heating elements for maximum output while using less energy
- 220-240V, 50/60Hz, 1400W  
CE, RoHS



**Included**



CAC121

Rolling and Forming Tool

**Optional Accessories**



CAC121S

Small Rolling and Forming Tool



CAC122

Waffle Bowl Forming Tool

† E suffix indicates F-plug / K suffix indicates G-plug

† E suffix indicates F-plug / K suffix indicates G-plug